

ARC920010049US1
09/870,656In the Claims:

Please amend the claims as follows:

1. (previously presented) A system for determining optimal resources based upon client location and resource locations, said system comprising:
 - a. one or more databases containing client location data and resource location data;
 - b. a cluster detector retrieving client location data from one or more databases to determine one or more client locations and creating one or more client clusters, each of said client clusters having one or more weights associated with them;
 - c. a cluster rater receiving said one or more client clusters and outputting one or more weighted clusters;
 - d. a locator determining one or more resources and retrieving resource location data from said one or more databases;
 - e. an optimizer computing at least one optimized resource based upon said weighted clusters and said resource location data, and
 - f. a scheduler dynamically scheduling said at least one optimized resource.
2. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 1, wherein said optimizer further calculates a center of mass associated with each of said weighted clusters and utilizes said calculated center of mass in said computation of at least one optimized resource.
3. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 2, wherein said center of mass calculation is done using:

ARC920010049061
09/870.656

$$\bar{V}_{cm} = \left(\frac{\sum_{i=1}^N w_i x_i}{N \sum_{i=1}^N w_i}, \frac{\sum_{i=1}^N w_i y_i}{N \sum_{i=1}^N w_i}, \frac{\sum_{i=1}^N w_i z_i}{N \sum_{i=1}^N w_i} \right),$$

where w is the weight associated with each client in a client cluster, N is the total number of clients in said client cluster, and x , y , and z are coordinate locations associated with each client in said client cluster.

4. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 1, wherein said system further comprises a center of mass calculation engine, said engine calculating a center of mass associated with each of said weighted clusters and passing said calculated center of mass to said optimizer for computing said at least one optimized resource.
5. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 4, wherein said center of mass calculation is done using:

$$\bar{V}_{cm} = \left(\frac{\sum_{i=1}^N w_i x_i}{N \sum_{i=1}^N w_i}, \frac{\sum_{i=1}^N w_i y_i}{N \sum_{i=1}^N w_i}, \frac{\sum_{i=1}^N w_i z_i}{N \sum_{i=1}^N w_i} \right),$$

where w is the weight associated with each client in a client cluster, N is the total number of clients in said client cluster, and x , y , and z are coordinate locations associated with each client in said client cluster.

ARC920010049US1
09/870,686

6. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 1, wherein said weights associated with said clients are equal in value.
7. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 1, wherein said resources are any of the following: meeting location, airfare, flight availability, or airline.
8. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 1, wherein said system further comprises a filter manager passing said one or more clusters through one or more filters, said filters modifying at least one weight associated with each of said client clusters.
9. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 1, wherein said retrieved client location data is a set of coordinate data, said coordinate data comprising longitude, latitude, and altitude information.
10. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 1, wherein said one or more databases comprises a plurality of the following databases: a location database containing records of locations, a client database containing records regarding said one or more clients, an event database containing information regarding events associated with one or more clients, or a resource database containing records of said one or more resources.

ARC920010049US1
09/870,656

11. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 10, wherein said system further includes a positioning interface receiving, from one or more remote electronic devices associated with one or more clients, client location information and saving said client location information onto said location database.
12. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 1, wherein said system further comprises a notification manager updating said one or more databases and notifying one or more clients regarding said scheduled at least one resource.
13. (previously presented) A system for determining optimal resources based upon client location and resource locations, as per claim 12, wherein said notification is done via an electronic mail message.
14. (currently amended) A computer-based method for optimizing resources and dynamically scheduling said resources, said method comprising the steps of:
 - a. identifying location coordinates associated with one or more participants, each of said participants associated with a rating;
 - b. detecting one or more location clusters from said identified location coordinates, based on proximity of said participants;
 - c. creating a rated cluster from each of said location clusters, based on said ratings associated with participants within each of said location clusters;
 - d. calculating a center of mass associated with each of said rated clusters;

ARC920010049US1
09/870,636

- e. identifying available resources and retrieving resource location data from one or more databases;
- f. optimizing at least one resource based on said identified resource and said calculated center of mass, and
- g. dynamically scheduling said optimized at least one resource.

15. (currently amended) A computer-based method for optimizing resources and dynamically scheduling said resources, as per claim 14, wherein said method further comprises the step of filtering said location clusters to modify said ratings.

16. (currently amended) A computer-based method for optimizing resources and dynamically scheduling said resources, as per claim 14, wherein said center of mass calculation is done using:

$$\vec{V}_{cm} = \left(\frac{\sum_{i=1}^N w_i x_i}{N \sum_{i=1}^N w_i}, \frac{\sum_{i=1}^N w_i y_i}{N \sum_{i=1}^N w_i}, \frac{\sum_{i=1}^N w_i z_i}{N \sum_{i=1}^N w_i} \right),$$

where w is the weight associated with each client in a client cluster, N is the total number of clients in said client cluster, and x, y, and z are coordinate locations associated with each client in said client cluster.

17. (currently amended) A computer-based method for optimizing resources and dynamically scheduling said resources, as per claim 16, wherein said weights associated with said clients are equal in value.

ARC920010049US1
09/870,656

18. (currently amended) A computer-based method for optimizing resources and dynamically scheduling said resources, as per claim 14, wherein said method further comprises notifying said one or more participants regarding said optimized at least one resource.
19. (currently amended) A computer-based method for optimizing resources and dynamically scheduling said resources, as per claim 14, wherein said resources are any of the following: meeting location, airfare, flight availability, or airline.
20. (currently amended) A computer-based method for optimizing resources and dynamically scheduling said resources, as per claim 14, wherein said notification is done via an email message.
21. (previously presented) An article of manufacture comprising a computer usable medium having computer readable program code embodied therein which optimizes resources and dynamically scheduling said optimized resources, said medium further comprising:
 - a. computer readable program code identifying location coordinates associated with one or more participants, each of said participants associated with a rating;
 - b. computer readable program code detecting one or more location clusters from said identified location coordinates, based on proximity of said participants;
 - c. computer readable program code creating a rated cluster from each of said location clusters, based on said ratings associated with participants within each of said location clusters;

ARC920010049US1
09/870,656

- d. computer readable program code identifying available resources and retrieving resource location data from one or more databases;
 - e. computer readable program code optimizing at least one resource based on said identified resource and said rated clusters, and
 - f. computer readable program code dynamically scheduling said optimized at least one resource.
22. (previously presented) An article of manufacture comprising a computer usable medium having computer readable program code embodied therein which optimizes resources and dynamically scheduling said optimized resources, as per claim 21, said medium further comprising computer readable program code filtering said location clusters to modify said ratings.
23. (previously presented) An article of manufacture comprising a computer usable medium having computer readable program code embodied therein which optimizes resources and dynamically scheduling said optimized resources, as per claim 21, wherein said resources are any of the following: meeting location, airfare, flight availability, or airline.